


## Combi5

Premium private steel safe with color stainless panel.



Combi5  
Champagne Gold

Combi5  
Titanium Black

### Combi5

|                |                |
|----------------|----------------|
| Outside (mm)   | H250 W380 D330 |
| Inside (mm)    | H245 W375 D255 |
| Weight (kg)    | 17             |
| Capacity ( ℓ ) | 25             |

- 2 Anchoring holes on the wall or on floor.
- Color : Champagne Gold / Titanium Black
- Steel Thickness : Door 6mm / Body 2.3mm

## Atelier3

Stylish premium steel safe with a masterpiece of great artist.



Atelier3  
Mondrian

Atelier3  
Gogh Almond Tree

### Atelier3

|                |                |
|----------------|----------------|
| Outside (mm)   | H250 W350 D250 |
| Inside (mm)    | H246 W346 D194 |
| Weight (kg)    | 10             |
| Capacity ( ℓ ) | 16             |

- 2 Anchoring holes on the wall or on floor.
- Color : Mondrian / Gogh Almond Tree
- Steel Thickness : Door 5mm / Body 2mm

## Mono5

Compact steel safe with simple design and vibrant color.



Mono5  
Ruby Red

Mono5  
Coal Black

| Mono5          |                |
|----------------|----------------|
| Outside (mm)   | H180 W385 D340 |
| Inside (mm)    | H176 W381 D278 |
| Weight (kg)    | 11             |
| Capacity ( ℓ ) | 18             |

- 2 Anchoring holes on the wall or on floor.
- Steel Thickness : Door 5mm / Body 2mm
- Color : Ruby Red / Coal Black

## P23 / P33

Standard of private steel safe with multi-functions.



P23  
Snow White

P23  
Lavender Grey

P23  
Matt Black

P33  
Snow White

P33  
Matt Black

|                | P23            | P33            |
|----------------|----------------|----------------|
| Outside (mm)   | H230 W330 D270 | H250 W380 D330 |
| Inside (mm)    | H225 W326 D222 | H240 W375 D284 |
| Weight (kg)    | 7              | 11             |
| Capacity ( ℓ ) | 16             | 25             |

- 2 Anchoring holes on the wall or on floor.
- Steel Thickness : Door 4/Body 1.2 mm
- Color : P23/P33(Snow White/Lavender Grey/Matt Black)

## Hotel Safe Diplomat Hotel Safes in different sizes and EDLs.



H25CS



H200C



H125C

■ H W D = Height Width Depth

|                | H25CS          | H200C          | H125C          |
|----------------|----------------|----------------|----------------|
| Outside (mm)   | H250 W350 D250 | H200 W435 D365 | H125 W400 D350 |
| Inside (mm)    | H246 W346 D194 | H196 W431 D292 | H75 W397 D347  |
| Weight (kg)    | 10             | 12             | 11             |
| Capacity ( ℓ ) | 16             | 24             | 10             |

- 2 Anchoring holes on the wall or on floor. ■ Color : Ivory(RAL9002) / Black(RAL7021)
- H200C : Spacious enough for storing a laptop computer up to 15.4"
- H125C : Spacious enough for storing a laptop computer up to 13.3"
- Override System for Emergency (Option) : Audit trail with print-out option for 100 past records



OAK  
Override Audit Kit

## Key Cabinet Designed for easy handling keys in offices or stores.



KC64



KC100



KC200

■ H W D = Height Width Depth

|              | KC64           | KC100          | KC200          |
|--------------|----------------|----------------|----------------|
| Outside (mm) | H364 W344 D135 | H555 W430 D179 | H555 W430 D179 |
| Inside (mm)  | H360 W340 D67  | H551 W426 D111 | H551 W426 D111 |
| Weight (kg)  | 12             | 23             | 26             |
| Capacity     | 64 keys        | 100 keys       | 200 keys       |

- 6(KC64) or 9(KC100, KC200) Anchoring Holes on the Back ■ Color : Ivory(RAL9002)

# Digital Locks


## Comparison of digital locks

|                          | HTP <small>NEW</small> | ORB <small>NEW</small> | OMB/OTP | OTF | EDL88/R3 | EDL77/R2 |
|--------------------------|------------------------|------------------------|---------|-----|----------|----------|
| FND Display              | X                      | O                      | X       | O   | O        | X        |
| User Codes(4-16digits)   | 2                      | 2                      | 2       | 2   | 2        | 2        |
| Finger-prints            | X                      | X                      | X       | 32  | X        | X        |
| Multi-users mode         | O                      | O                      | O       | O   | O        | O        |
| Dual-codes mode          | X                      | O                      | O       | O   | O        | X        |
| Scrambles Numbers        | O                      | O                      | O       | O   | O        | O        |
| Paralysis Function       | O                      | O                      | O       | O   | O        | O        |
| Sound & Code Hide system | O                      | O                      | O       | O   | O        | O        |
| Low Battery Alert        | O                      | O                      | O       | O   | O        | O        |
| Built-in Alarm           | O                      | X                      | X       | O   | O        | X        |

\* : Code + Code


\*\* : Finger-print + Code or Code + Code

## Main PCB



### Solenoid type

\* Applicable : Model 119 ~ 530




### Swing-bolt type

\* Applicable : Above model 060

## Certificate Labels



CE (EU)  
Electromagnetic safety  
test CE certification



RoHS (EU)  
6 hazardous substances  
compliance with use  
restrictions in EU



KC (Korea)  
Electromagnetic  
compatibility  
certification